Web Images Video News Maps Gmail more v

Sign in

Google

fingerprint and hash

Seerch

Advanced Search Preferences

The "AND" operator is unnecessary -- we included a lysearshoterman and bed at live and lysearshoterman and bed at live and lysearshoterman and lys

Web

Results 1 - 10 of about 1,450,000 for fingerprint and hash. (0.20 seconds)

#### Hash function - Wikipedia, the free encyclopedia

A hash function [1] is a reproducible method of turning some kind of data into a (relatively) small number that may serve as a digital "fingerprint" of the ... en wikipedia.org/wiki/Hash function - 43k - Cached - Similar pages

Cryptographic hash function - Wikipedia, the free encyclopedia

The message digest is a sort of "digital **fingerprint**" of the larger document. Cryptographic **hash** functions are used to do message integrity checks and ... en wikipedia.org/wiki/Cryptographic\_hash\_function - 57k - <u>Cached</u> - <u>Similar pages</u>

#### About Microsoft Research: 2007 Tech Fair

Our method calculates and aggregates various key-determined metrics over **fingerprint** images, producing short **hash** strings that cannot be used to reconstruct ... research.microsoft.com/aboutmsr/techfair/default.aspx - 30k - <u>Cached</u> - <u>Similar pages</u>

crime 2005/05: CRIME Steganography Application Fingerprint Data

CRIME Steganography Application Fingerprint Database Hash Set Updates - Available Now! From: Chad W. Davis (chad.davis@private) ...

lists.jammed.com/crime/2005/05/0011.html - 4k - Cached - Similar pages

#### Document IDs for BREW - FAQs - Document ID from VeriSign, Inc.

VeriSign Authentic Document IDs are used to create and send a signed **fingerprint** (hash) of the original document to VeriSign's Authentic Document Service ... www.verisign.com/products-services/security-services/code-signing/brew-document-ids/fag.html - 76k - Cached - Similar pages

#### VeriSign Inc. - www.verisign.com

Often described as a digital **fingerprint**, a **hash** is simply a "summary" ... It includes a **fingerprint** (**hash**) of the document file along with the date and ... www.verisign.com/products/notarize/faq.html - 34k - <u>Cached</u> - <u>Similar pages</u>

### Schneier on Security: Fingerprint Library Cards

Same thing with this **fingerprint hash**: if the **hashing** algorithm is standard or .... "Reconstructing" a **fingerprint** from a **hash** is a matter of semantics, ... www.schneier.com/blog/archives/2005/05/**fingerprint**\_lib.html - 76k - Cached - Similar pages

#### Fixing a hole in security | Tech News on ZDNet

(A collision is when two different files result in the same **fingerprint**, or **hash**, and is considered a failure in the system. --RL) Another team found that ... news.zdnet.com/2100-1009\_22-5598536.html - 49k - <u>Cached</u> - <u>Similar pages</u>

### A sense of insecurity | Newsmakers | CNET News.com

It's used to reduce long documents to a smaller unique digital **fingerprint**, or **hash**, which is then signed using public-key encryption. ... www.news.com/A-sense-of-insecurity/2008-7355\_3-5595238.html - 48k - Cached - Similar pages

[cap-talk] A petname toolbar for Firefox

>In an ideal world, it might be better to form a **fingerprint** by **hashing** (CA1 ... Then he can **hash** the CA keys plus some usage rules into his **fingerprint** ... www.eros-os.org/pipermail/cap-talk/2005-February/003050.html - 9k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 **Next** 

Download Google Pack: free essential software for your PC

fingerprint and hash

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Web Images Video News Maps Gmail more v

Sign in

Google

fingerprint and subset



Advanced Search Preferences

The "AND" operator is unnecessary -- we included all the included and the

Web

Results 1 - 10 of about 485,000 for fingerprint and subset. (0.16 seconds)

tag fingerprint

In this case, we add the **subset**? and tanimoto methods for determining whether all of the bits in one **fingerprint** are present in another, and for determining ... depth-first.com/articles/tag/**fingerprint** - 24k - <u>Cached</u> - <u>Similar pages</u>

Comparing 3D Pharmacophore Triplets and 2D Fingerprints for ...

Some combined descriptors outperform 2D **fingerprints**, but not for all **subset** populations. Applying sequential dissimilarity selection to PDT descriptors ... pubs.acs.org/cgi-bin/abstract.cgi/jcisd8/1999/39/i06/abs/ci980185h.html - <u>Similar pages</u>

Fingerprint Verification Competition - Wikipedia, the free ...

A **subset** of **fingerprint** impressions acquired with various sensors was provided to registered participants, to allow them to adjust the parameters of their ... en.wikipedia.org/wiki/**Fingerprint\_**Verification\_Competition - 28k - <u>Cached</u> - <u>Similar pages</u>

Apparatus for fingerprint indexing and searching - US Patent 5845005 selecting means for selecting a first subset of the reference fingerprints having index values along the generally continuous and generally monotonically ... www.patentstorm.us/patents/5845005-claims.html - 22k - Cached - Similar pages

Method of verification using a subset of claimant's fingerprint ...

Method of verification using a subset of claimant's fingerprint - US Patent 5982913 from Patent Storm. The present invention is a method of fingerprint ...

www.patentstorm.us/patents/5982913.html - 17k - Cached - Similar pages
[More results from www.patentstorm.us]

[PDF] Minutiae-based Fingerprint Matching Using Subset Combination
Abstract. In this paper, we propose an effective fingerprint match-. ing algorithm based on ridge count matching and minutiae. subset combination. ...
doi.ieeecomputersociety.org/10.1109/ICPR.2006.802 - Similar pages

Method of verification using a subset of claimant's fingerprint ...

The present invention is a method of **fingerprint** verification that includes the steps of capturing a complete **fingerprint** of a number of enrollees; ... www.freepatentsonline.com/5982913.html - 50k - <u>Cached</u> - <u>Similar pages</u>

Characterization of Phytophthora infestans from Maine during 1999 ... The RG57 probe was used to fingerprint a subset of the isofates collected. With few exceptions, most isolates from potato from northern Maine (regardless of ... findarticles.com/p/articles/mi\_qa4069/is\_200209/ai\_n9144605/pg\_3 - 26k - Cached - Similar pages

Biometrics: Fingerprint

An input **fingerprint** is first matched at a coarse level to one of the pre-specified types and then, at a finer level, it is compared to the **subset** of the ... biometrics.cse.msu.edu/**fingerprint**.html - 8k - <u>Cached</u> - <u>Similar pages</u>

Keith Price Bibliography Fingerprint Features, Ridges, Flow ...

Minutiae-based **Fingerprint** Matching Using **Subset** Combination, ICPR06(IV: 566-569). WWW Version. 0609 BibRef Earlier: **Fingerprint** Matching Using Minutiae and ... iris.usc.edu/Vision-Notes/bibliography/people940.html - 30k - <u>Cached</u> - <u>Similar pages</u>

1 2 3 4 5 6 7 8 9 10 · Next

Download Google Pack: free essential software for your PC

fingerprint and subset



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Web

Sign in Web Images Video News Maps Gmail more v <u>Google</u> Advanced Search Search steganography and subset **Preferences** The "AND" operator is unnecessary -- we included a long representation of the control of the con

Results 1 - 10 of about 49,400 for steganography and subset. (0.28 seconds)

Non-algorithmic vectored steganography - Patent 7222365

The first system gathers a subset of the encrypted information from the ... the Current Steganalysis Techniques (Robust Steganography)" Proceedings of the ... www.freepatentsonline.com/7222365.html - 48k - Cached - Similar pages

Non-algorithmic vectored steganography - Patent 20060005037 The first system gathers a subset of the encrypted information from the access .... 60/548834, entitled "NON-ALGORITHMIC VECTORED STEGANOGRAPHY," filed Feb. ... www.freepatentsonline.com/20060005037.html - 44k - Cached - Similar pages

[PDF] Analysis of Parity Assignment Steganography in Palette Images Abstract. In parity assignment-based steganography for palette im-. ages, all colors in a host image are divided into two subsets, and each ... www.springerlink.com/index/90EPVC3LNH2KEK36.pdf - Similar pages

[PDF] LNAI 3802 - Alternatives for Multimedia Messaging System Steganography audio steganography uses a subset of available audio samples and alters their LSB. However, as the number of the adjusted LSBs increases the introduced ... www.springerlink.com/index/94551077t6717620.pdf - Similar pages

[PDF] On the Complexity and Hardness of the Steganography Embedding Problem File Format: PDF/Adobe Acrobat - View as HTML values and for spread spectrum steganography [3] these are the discrete cosine transform coefficients. By embed-, ding a subset of the message (perhaps ... www.ece.stevens-tech.edu/~mouli/stegonp2.pdf - Similar pages

[PDF] Detecting Steganographic Content on the Internet

File Format: PDF/Adobe Acrobat - View as HTML downloads JPEG images from the Internet. Using. statistical analysis, a subset of images likely to con-, tain steganographic content is identified. ... www.citi.umich.edu/techreports/reports/citi-tr-01-11.pdf - Similar pages

[PDF] Microsoft PowerPoint - lab-steganography.ppt

File Format: PDF/Adobe Acrobat - View as HTML Subset. Dear George;. Greetings to all at Oxford. Many thanks for your ... Steganography hiding a file inside of another ... www-scf.usc.edu/~csci530l/slides/lab-steganography.pdf - Similar pages

[PDF] Hide and Seek: An Introduction to Steganography

File Format: PDF/Adobe Acrobat - View as HTML Figure 1. Modern steganographic communication. The encoding step of a. steganographic system identifies redundant bits and then replaces a subset of them ... niels.xtdnet.nl/papers/practical.pdf - Similar pages

#### [PS] Introduction

File Format: Adobe PostScript - View as Text Invisible watermarking is treated as a subset of steganography though, some aspects. discussed are unique to tools identied as digital watermarking ...

www.cs.arizona.edu/~collberg/Teaching/620/1999/Handouts/ashwin2.ps - Similar pages

[PDF] High-capacity steganography using a shared colour palette The SMK algorithm is a **steganography** method for colour. images [5]. A colour palette is a subset of colour points in. red=green=blue (RGB) space. ... ieeexplore.ieee.org/iel5/2200/32537/01520864.pdf?arnumber=1520864 - Similar pages

> 1 2 3 4 5 6 7 8 9 10 Next

Download Google Pack: free essential software for your PC

Search steganography and subset

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Web Images Video News Maps Gmail more v

Sign in

Google

watermark and subset

Advanced Search Search Preferences

The "AND" operator is unnecessary -- we include white search demand a deduction of the control o

Web

Results 1 - 10 of about 273,000 for watermark and subset. (0.14 seconds)

Watermarking and fingerprinting digital content using alternative ...

The set of locations and possible alterations is herein sometimes called a "watermark." The subset of actual alterations that are made is herein sometimes ... www.patentstorm.us/patents/7181044.html - 18k - Cached - Similar pages

Cocktail watermarking on images - US Patent 6654479

forming a watermarked image using the modified first subset of transform coefficients and the second subset of transform coefficients. ... www.patentstorm.us/patents/6654479-claims.html - 23k - Cached - Similar pages [ More results from www.patentstorm.us ]

[Paper] A Novel Method of Watermarking Relational Databases using ... Subset Modification (tuple or attribute update): This kind of attack or operation will make the marked data loss the watermark. · Subset out of order (tuple ... www.actapress.com/PDFViewer.aspx?paperId=23174 - Similar pages

(WO/2005/017827) DETECTING A **WATERMARK** USING A **SUBSET** OF AVAILABLE ...

The method involves utilizing only a subset of candidate counter watermark detection techniques within any particular watermark detector to search for the ... www.wipo.org/pctdb/en/wo.jsp?wo=2005017827 - 38k - Cached - Similar pages

[PDF] Watermark Based Copyright Protection of Outsourced Database watermark include subset extracting attack, subset. addition attack, randomized data substituting attack,. and watermark additive attack. ... doi.ieeecomputersociety.org/10.1109/IDEAS.2006.53 - Similar pages

### [PDF] ASYMMETRIC CRYPTOGRAPHY AS SUBSET OF DIGITAL HOLOGRAM WATERMARKING

File Format: PDF/Adobe Acrobat - View as HTML

subset of digital hologram watermarking, which is able to. detect malicious tampering while tolerating some incidental. distortions. ...

www.arehna.di.uoa.gr/Eusipco2006/papers/1568981718.pdf - Similar pages

## [PS] Which directions for asymmetric watermarking?

File Format: Adobe PostScript - View as Text

5 Using watermarking as subset of a crypto-. graphic protocol. As the security of asymmetric cryptographic protocols. has already been assessed, ... www.dice.ucl.ac.be/crypto/files/publications/ps92.ps - Similar pages

[PDF] Watermarking relational database using image - Machine Learning ... This is the main challenges on using image for watermarking relational database. Subset Alteration: It is common to update some of. subsets of database. ... ieeexplore.ieee.org/iel5/9459/30103/01382056.pdf - Similar pages

[PDF] Robust FPGA Intellectual Property Protection Through Multiple ...

multiple watermarks. A subset of the marks is revealed for public. verification, providing enough information for proof of ownership ... ieeexplore.ieee.org/iel5/9516/30164/01385146.pdf - Similar pages

[ More results from ieeexplore ieee.org ]

[PDF] LNCS 4443 - Geo-WDBMS: An Improved DBMS with the Function of ... watermark. Paper [7, 8] gives a distribution preserving method which inserts a "virtual" mark. through adjusting the distribution of data in each subset. ... www.springerlink.com/index/81500l7476460t28.pdf - Similar pages

1 <u>2 3 4 5 6 7 8 9 10</u> **Next** 

Download Google Pack: free essential software for your PC

watermark and subset Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

# **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S33 2	1682	380/200-204.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:41
S33 3	462	380/54.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S33 4	373	713/161.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S33 5	2573	713/176.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S33 6	802	726/27.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S33 7	345	726/30.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S33 8	122	726/31.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S33 9	115	726/32.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S34 0	884	705/57.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S34 1	240	705/58.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S34 2	947	705/59.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:42
S34 3	2499	382/100.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:43
S34 4	926	382/115.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:43
S34 5	197	382/116.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:43
S34 6	319	382/117.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:43
S34 7	811	382/118.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:43
S34 8	210	382/119.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:43
S34 9	1194	382/124.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:44
S35 0	73127	(watermark\$4 or steganograph\$5 or fingerprint\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45

# **EAST Search History**

S35 1	11419	(watermark\$4 or steganograph\$5 or fingerprint\$4) and (subset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/10/01 08:45
S35 2	84	S351 and S332	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 3	54	S351 and S333	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 4	16	S351 and S334	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 5	320	S351 and S335	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 6	38	S351 and S336	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 7	19	S351 and S337	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 8	5	S351 and S338	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S35 9	6	S351 and S339	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45
S36 0	62	S351 and S340	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:45

# **EAST Search History**

S36 1	24	S351 and S341	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S36 2	43	S351 and S342	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S36 3	399	S351 and S343	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S36 4	108	S351 and S344	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/10/01 08:46
S36 5	22	S351 and S345	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S36 6	11	S351 and S346	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S36 7	30	S351 and S347	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S36 8	27	S351 and S348	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	ON	2007/10/01 08:46
S36 9	120	S351 and S349	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:46
S37 0	2	(subset and fingerprint\$4 and reduced and (remote\$4 or distant\$4) and second).CLM.	US-PGPUB; USPAT	OR	ON	2007/10/01 08:47

10/1/2007 9:49:19 AM C:\Documents and Settings\HSong\My Documents\EAST\Workspaces\09836147.wsp Page 3